Schrödinger's microbe: implications of coercing a living organism into a coherent quantum mechanical state

Bull, Joseph; Gordon, Ascelin

https://researchrepository.rmit.edu.au/esploro/outputs/9921862806601341/filesAndLinks?institution=61RMIT_INST&index=null

Bull, J., & Gordon, A. (2015). Schrödinger's microbe: implications of coercing a living organism into a coherent quantum mechanical state. *Biology and Philosophy*, 30(6), 845–856.

<https://doi.org/10.1007/s10539-015-9500-4>

Document Version: Accepted Manuscript

Published Version: <https://doi.org/10.1007/s10539-015-9500-4>

Repository homepage: <https://researchrepository.rmit.edu.au>

© Springer Science+Business Media Dordrecht 2015

Downloaded On 2023/04/26 21:05:31 +1000

Thank you for downloading this document from the RMIT Research Repository.

The RMIT Research Repository is an open access database showcasing the research outputs of RMIT University researchers.

RMIT Research Repository: <http://researchbank.rmit.edu.au/>

Citation:

Bull, J and Gordon, A 2015, 'Schrödinger's microbe: implications of coercing a living organism into a coherent quantum mechanical state', *Biology and Philosophy*, vol. 30, no. 6, pp. 845-856.

See this record in the RMIT Research Repository at:

<https://researchbank.rmit.edu.au/view/rmit:33935>

Version: Accepted Manuscript

Copyright Statement:

© Springer Science+Business Media Dordrecht 2015

Link to Published Version:

<https://dx.doi.org/10.1007/s10539-015-9500-4>

1 **Schrödinger's microbe: implications of coercing a living organism into a**
2 **coherent quantum mechanical state**

3
4 Bull JW ^{a*}, Gordon A ^b
5
6
7
8

9 ^a Joseph William Bull (*corresponding author)

10 Department of Life Sciences, Imperial College London, Silwood Park campus, Buckhurst
11 Road, Ascot, SL5 7PY, UK.

12 j.bull10@imperial.ac.uk

13 +44 (0) 7837 172 886
14

15 ^b Ascelin Gordon, School of Global, Urban and Social Studies, RMIT University, Melbourne,
16 Australia

17 ascelin.gordon@rmit.edu.au
18
19
20

21 Article type: Original Research
22

23 Word count: Abstract = 248, manuscript including references and tables = 5,004. Number
24 of tables = 1, number of figures = 2.
25

26 Keywords: Coherence, cryptobiosis, decoherence, living organism, PICERAS, tardigrade
27
28

29 **Abstract**

30 Consideration of the experimental activities carried out in one discipline, through the lens of
31 another, can lead to novel insights. Here, we comment from a biological perspective upon
32 experiments in quantum mechanics proposed by physicists that are likely to be feasible in the
33 near future. In these experiments, an entire living organism would be knowingly placed into a
34 coherent quantum state for the first time, i.e. would be coerced into demonstrating quantum
35 phenomena.

36
37 The implications of the proposed experiment for a biologist depend to an extent upon the
38 outcomes. If successful (i.e. quantum coherence is achieved and the organism survives after
39 returning to a normal state), then the organism will have been temporarily in a state where it
40 has an unmeasurable metabolism – not because a metabolic rate is undetectable, but
41 because any attempt to measure it would automatically bring the organism out of the state.
42 We argue that this would in essence represent a new category of cryptobiosis. Further, the
43 organism would not necessarily retain all of the characteristics commonly attributed to living
44 systems, unlike the currently known categories of cryptobiosis.

45
46 If organisms can survive having previously been in a coherent state, then we must accept that
47 living systems do not necessarily need to remain in a decoherent state at all times. This would
48 be something new to biologists, even if it might seem trivial to physicists. It would have
49 implications concerning the physical extremes organisms can tolerate, the search for
50 extraterrestrial life, and our philosophical view of animation.

51

There is much potential for scientific advancement in interdisciplinary research. However, it is rare for research to be truly interdisciplinary; and so as researchers, we should be watchful for developments in other areas of science that may influence our own. In this article, we discuss what is likely to be just such a development: the implications for biology of specific experiments proposed by physicists. In essence, the proposals are to coerce a living organism (such as a tardigrade – a water dwelling extremophile) into behaving as a coherent quantum object (e.g. Romero-Isart et al., 2010). Whilst there is no apparent theoretical reason that such experiments would not work from a physical perspective – rather, it is a matter of finessing the relevant experimental technology – the implications of the experimental outcomes from a biologist’s point of view have yet to be fully considered. Here, after outlining some relevant physics and biology, we discuss the implications of such an experiment for the study of living systems.

Quantum theory and the concept of decoherence

A key conceptual and philosophical challenge, during the development of quantum mechanics, has been that it is full of strange phenomena that do not intuitively describe the reality we perceive directly around us at a macroscopic scale. Instead, the world we perceive at the macroscopic scale appears to behave more closely in accordance with classical Newtonian mechanics. This challenge can be resolved via the interpretation that macroscopic systems are in what physicists call a ‘decoherent’ state, as opposed to a state that is ‘coherent’ i.e. one which clearly exhibits quantum phenomena (Zurek, 1991; 2003). To expand: quantum mechanical phenomena demonstrably hold in laboratory conditions on very small scales for particle systems that are isolated from their environment, and are consequently described by Schrödinger’s wave equation. Such particle systems can evolve into a coherent state that is characterized by a wave function, and cannot be considered to actually exist in any one physical state (e.g. being localized to a specific position in space). Rather, all that can be said is that, if measured, the particle system would be found to be in one of various physical states, with probabilities of being found in each state determined by the particle systems ‘wave function’. Before measurement, the system can thus be thought of as being in a superposition of multiple possible states at the same time, although it is hard to visualize what this might actually look like. If a measurement is taken of such a particle system, then the probability of the system being recorded in any one of these physical states is related to the squared amplitude of the wave function for that state. The act of measurement, which necessarily involves the particle system interacting with some other system (e.g. the experimental apparatus required to take the measurement), causes the wave function to ‘collapse’ into one of these single, decoherent, physical states.

As a hypothetical example, imagine a tardigrade that was at an unknown location: if the tardigrade was in a decoherent state, then an observer could locate it by attempting to measure its position. Subsequently, the observer could legitimately describe the tardigrade as

92 having had a defined position in space immediately prior to measurement. But if it were in a
93 coherent quantum state, this would mean it was in a “superposition of states”, or, spread out
94 over numerous locations at the same time, with a probability of being found at each. The act
95 of observing the coherent tardigrade (i.e. interacting with it) would have caused its wave
96 function to collapse, with the result that it would decohere and subsequently become localized
97 to a specific point in space (Fig. 1).

98
99 In systems we perceive as exhibiting classical behavior, such as most macroscopic systems,
100 the majority of the quantum information about the system is already lost as a result of
101 interactions with the environment (“measurement” being just one form of interaction with the
102 environment). That is to say, the wave function describing such systems is constantly being
103 collapsed into a single decoherent state as a result of these interactions (Zurek, 1991). A
104 decoherent system is indistinguishable from a system behaving deterministically, as
105 described by classical mechanics, which is why macroscopic systems built from components
106 small enough to experience quantum effects don’t exhibit this behaviour. For biologists
107 interested in a full introduction to basic quantum mechanics, Davies & Betts (2002) is
108 recommended.

109
110 In order to place an object into a coherent state in the laboratory, it is necessary to isolate it
111 from interactions with its environment. Simplistically, this requires placing the object in a
112 vacuum and cooling sufficiently so that its own internal thermal vibrations do not cause it to
113 decohere. However, it should be noted that the role of interactions disrupting quantum effects
114 is complex, and the fact there is some evidence that living organisms do internally make use
115 of quantum phenomena would imply that quantum effects can occur within warm and non-
116 isolated environments (Ball, 2011; Bordonaro & Ogryzko, 2013). For the present at least, a
117 practical challenge to coercing objects into a coherent state is that they must be contained
118 within a vacuum and sufficiently cooled – the former to prevent decoherence resulting from
119 interactions with the external environment, the latter to prevent decoherence through thermal
120 vibrational excitation of the object (or of components internal to the object). Such factors limit
121 the size of object that can currently be placed in a quantum coherent state: the larger the
122 object, the more difficult it is to cool and isolate the object sufficiently. A key quantum
123 phenomenon – wave-particle duality – has long been demonstrable in buckminsterfullerenes
124 (C-60), which have a diameter ~ 1 nm and are ‘almost classical’ in size (Arndt et al., 1999).
125 As technology continues to improve, it has been possible for physicists to demonstrate
126 coherence in larger and larger objects. More recently, it has been shown that *macroscopic*
127 inanimate objects, on the scale of μm , can also be coerced into exhibiting coherent quantum
128 behavior, specifically a superposition of motion states (O’Connell et al., 2010).

The proposed experiments

Romero-Isart et al. (2010) have proposed an experiment by which lasers would be used to cool (i.e. limit rotational and/or translational motion) and trap a virus, inside what is known as an optical cavity. The virus would be decoupled from its environment and thereby able to be coerced into a coherent quantum state. More specifically, the centre of mass of the virus would be in a superposition of motion states, meaning that the virus was effectively moving (within the confines of the trap) in a number of different ways *at the same time*. Romero-Isart et al. claim that this “opens up the possibility of testing the quantum nature of living organisms” (i.e. motion as whole quantum objects) such as the common Influenza and Tobacco Mosaic viruses, and potentially larger organisms such as tardigrades. It should be noted that, although the point is not acknowledged by Romero-Isart et al. (2010), there is no consensus amongst biologists as to whether viruses actually comprise living systems (Nasir et al., 2012). However, since the application of the experimental technique is also discussed in relation to tardigrades and other extremophiles, which certainly seem to meet the criteria of being “alive”, we do not discuss the virus debate any further.

The proposed experiment would result in a living object that is in a superposition of states in relation to e.g. the motion of its centre of mass along one axis. An organism in such an experimental setup would then be subjected to a quantum state, where it would be in a number of different states of motion at the same time, constituting a classically impossible combination of movements. So for instance, unlike a decoherent virus with a certain translational motion and a specific location at a given point in time (Fig. 2A), the coherent virus might be undergoing a combination of translational motions, and thereby also be in an undetermined location in space (Fig. 2B,C).

Whether a tardigrade as an organism can be said to “experience” its own movement at all is another topic of discussion, and we do not explore that here. Further, the experimental technique proposed by Romero-Isart et al. has yet to be achieved in practice for objects large enough to comprise a living system, although progress continues to be made towards doing so for inanimate nanospheres (e.g. Kiesel et al., 2013 – who report trapping of submicron particles with a radius of ~ 169 nm), and once it is successfully achieved for larger nanospheres the experiment with viruses is likely to be carried out (O. Romero-Isart, pers. comm.). Nevertheless, the fundamental question that it should inspire for biologists remains worthy of consideration: can living organisms exhibit quantum mechanical properties as whole systems whilst remaining alive, or at least retain the potential to become alive again, and if so, what are the implications? To begin to answer this question, we must first consider some relevant biology – not least the current understanding of a ‘living organism’.

Living organisms

A universal definition for what comprises 'living' has yet to be agreed (McKay, 2004), but a common working definition is that an organism is a "self-sustaining chemical system capable of Darwinian evolution" (Benner, 2010). Arguments have been made against this definition (e.g. Ruiz-Mirazo et al., 2004; Leitner & Firneis, 2011) and others have made attempts to describe life in terms of more specific characteristics. A widely cited set of fundamental living characteristics can be summarized by the acronym PICERAS (Koshland, 2002; Table 1): Program, Improvisation, Compartmentalization, Energy, Regeneration, Adaptability, and Seclusion. Whilst this has been recognized by many (including Koshland) not to represent either a true definition or even necessarily a definitive list of characteristics (e.g. Cleland & Chyba, 2002), it usefully summarizes a common perception of what a living thing is and does. Note that, because of the requirement to have the capacity to evolve ('improvise' according to Koshland), this set of characteristics applies to whole organisms but not to subcomponents of organisms (e.g. single cells that are not independent). The PICERAS set of characteristics is intended to apply to life at all spatial scales down to the smallest animate objects known to science, which are of the order 300 – 500 nm. This excludes certain nanobacteria (~ 50 nm) and viruses (~ 10 – 50 nm), which are again not widely accepted to be living organisms (US National Research Council, 1999).

The fact that inanimate objects approaching the size of the smallest known living organisms can demonstrably be made coherent – and that certain organisms are known to be able to survive highly extreme conditions, as discussed below – means that it is perhaps inevitable that an experiment such as that proposed by Romero-Isart et al. will soon be carried out. As far as the authors are aware, this would represent an entirely new avenue of study in the field of quantum biology.

Quantum biology

Quantum biology is an emerging discipline, concerned with the extent to which quantum mechanical phenomena are important to, or even purposefully utilized by, living organisms (Ball, 2011). There has for some time been speculation that living organisms internally make use of quantum phenomena (e.g. Penrose, 1989; Hameroff, 1994; Davies, 2004). In order for this to occur, coherence would need to be sustained with the biochemical setting of the living system (Davies, 2004) through a process such as 'internal error correction' (Igamberdiev, 2004). Researchers have recently begun to show that this is possible (Gauger et al., 2011), and new research programmes are in progress to examine quantum phenomena at the molecular and cellular levels within biological systems (Bordonaro & Ogryzko, 2013). Others have proposed the possibility of appropriating mathematical tools from quantum mechanics to model whole ecosystems (Bull, 2015; Rodríguez et al., 2015). However, the Romero-Isart et al. experiment would, for the first time, examine actual quantum effects at the level of a whole organism. It is this latter point that we discuss here, which involves the potential implications

of coercing a whole living organism (rather than components or sub-components of organisms, such as cells) into exhibiting quantum mechanical behaviour. This topic is important not only to biologists in understanding how living systems function, but also for physicists seeking a better understanding of how to maintain coherence in complex systems (Ball, 2011), and of the so-called 'quantum to classical transition' (Bordonaro & Ogryzko, 2013).

Whilst living organisms are increasingly thought to utilize quantum phenomena, or even to rely upon them by maintaining a level of coherence within subcomponents where necessary, organisms as a whole have only ever been known to behave as classical objects (Davies, 2004; Ball, 2011). That is, whole living organisms have to date never physically been shown to exhibit quantum effects such as e.g. wave-particle duality in a double slit experiment (although this experiment has been carried out on organic molecules; Becker, 2011; Gerlich et al., 2011). By way of explanation: a common version of the double slit experiment finds that, when a coherent electron is fired through a barrier with two adjacent slits, and a detector is later used to monitor which slit the electron passed through, the electron will be recorded by the detector as a discrete 'particle'. However, after many electrons have been fired through the slits, a more general interference pattern will build up on the detector, consistent with a mathematical description of the electron wave functions as having travelled through both slits simultaneously and interfered with themselves (i.e. the electron also acts as a 'wave').

Many physicists, to paraphrase the renowned Anton Zeilinger, would consider the coercion of animate (as opposed to inanimate) objects into a coherent state to be just a question of money and technological innovations – implying it may be of limited interest (Arndt et al., 2005). To biologists, however, there may be more important ramifications of creating living organisms in coherent quantum states. One example, which we discuss here, would be the relevance for the study of cryptobiology.

Cryptobiology

Cryptobiosis (i.e. hidden life) is a state that certain organisms are known to spend time in, and can be defined as "the state of an organism when it shows no visible signs of life and when its metabolic activity becomes hardly measurable, or comes reversibly to a standstill" (Keilin, 1959; Clegg, 2001). A key word in this definition is "reversibly": cryptobiosis requires that the organism can return to a non-cryptic, living state after being, for instance, frozen – rather than expiring. There are five known drivers for a suitably equipped organism to assume a cryptobiotic state: anhydrobiosis (i.e. extreme dessication), anoxybiosis (i.e. in response to a lack of oxygen), chemobiosis (i.e. a response to very high levels of toxins in the environment), cryobiosis (i.e. at very low temperatures), and osmobiosis (i.e. a response to increased levels of solute) (Crowe, 1975). Now, in order to place an organism into a coherent state using a methodology such as that described by Romero-Isart et al., as discussed, it may first have to

be placed in a vacuum and cooled to low temperatures to prevent loss of coherence. The result would be that, in the case of this specific experiment, the organism might assume an anoxybiotic or cryobiotic state (respectively) as a precursor to entering the coherent state.

The interesting question from a biological perspective is, then, having potentially already placed the organism into an anoxybiotic or cryobiotic state, does coercing it into a quantum coherent state imply a different category of cryptobiosis? As discussed above, a necessary condition for an organism to remain in a coherent state would be for it to remain isolated from its environment, implying that no measurements could be taken of it. Therefore, it would not be able to have any *measurable* metabolic activity while in a coherent state (noting that metabolic rate is the rate at which an organism expends energy, which biologists measure in practice through proxies such as rate of gas exchange). The fact that the organism was in a coherent state could be demonstrated without direct interaction or measurement via detection of quantum effects, similarly to the presence of interference patterns found in electrons exposed to the aforementioned double slit experiment.

Thus, it would have to be concluded that an organism in a coherent state is indeed in a state of cryptobiosis. But this state sets it apart from the other five known classes of cryptobiosis: all of which are states in which metabolic activity can be searched for (e.g. it can be estimated to what degree an organism has managed to expend energy, for instance by assessing how much oxygen it has consumed), but just not physically detected. In a coherent state, metabolic activity cannot be detected – because it is, in principle, impossible to take a measurement without altering the state. A biologist might argue that this conclusion is a question of semantics, but this is because biology tends to treat the act of measurement as something neutral, rather than as an action that physically alters the system being measured (c.f. Fig. 1). Consequently, upon closer inspection, this conclusion may be more profound.

Although they do not outline it explicitly, Romero-Isart et al. seem to imply that the experiment could be considered successful if the organism were coerced into being coherent, and then survived the collapse back into a decoherent state. If this is achieved, then the biologist has to conclude that an organism in a coherent state is cryptobiotic – but in a new way compared to previously observed classes of cryptobiosis. This is not the only potentially interesting outcome of the experiment from a biological point of view. In addition, the outcomes have relevance for a PICERAS-type understanding of living things.

Compartmentalization

The validity of the PICERAS set of characteristics has not, to our knowledge, been fully explored for organisms in a cryptobiotic state. But consider, for instance, an organism that is frozen and hence demonstrates no metabolic activity (i.e. is in a cryobiotic state) – then so long as it may return to an active living state upon warming, it would still exhibit the full set of

PICERAS set of characteristics (Table 1). It clearly continues to have a Program, is Compartmentalized, and contains Secluded molecules. It cannot demonstrate Improvisation, Regeneration or Adaptability whilst remaining in the cryptobiotic state, but has the capacity to exhibit all three of these characteristics if warmed. Thus a frozen organism has the *potential* for Improvisation, Regeneration or Adaptability. Similarly, it would require Energy in order to maintain low entropy levels, if it were to return to being a dynamic system or change state in any way, arguably satisfying the last of the 7 PICERAS categories.

Almost exactly the same reasoning applies to an organism that is in a coherent quantum state, in the manner proposed by Romero-Isart et al. An organism in a superposition of motion states would similarly still have a Program. Further, it would most certainly have the potential for Improvisation, Regeneration and Adaptability if it could survive returning to a decoherent state. It would retain a latent need for Energy and Seclusion once it lapsed back into decoherence. However, it is possible that whilst the potential for Compartmentalization might be maintained, this characteristic could actually be compromised in such a state. To explain: living systems have a definite boundary, and are also comprised of numerous sub-hierarchical components that themselves have defined boundaries. All known living systems are composed of cells, but these cells might be grouped into organs, and contain organelles. These boundaries are crucial in that they allow matter to traverse them when it is useful to the organism, and also serve to both to keep out undesirable matter and to maintain important chemical processes in isolation (Koshland, 2002). If an entire living system were in a coherent state, it would have no definite internal or external physical boundaries in space. Even if it retained its basic internal structure, in a superposition of motion states, the outer boundary would not be defined in a classical sense. Consequently, normally compartmentalized subcomponents of the organism could in a real sense be considered to be overlapping or non-localised in space, meaning that the characteristic of Compartmentalization had been violated.

Again, whilst such an event is perfectly acceptable from the point of view of an inanimate object, it would be a strange state of affairs for a living organism. Whether it is possible for an organism to experience this situation and remain living is, again, one outcome of the experiment that would be worth exploring further. At the very least, a more finessed interpretation of the characteristic of Compartmentalization would be required.

Implications

Here, we have considered certain biological implications of an experimental set up designed by physicists, which would place an organism into a coherent quantum state. The points that arise from a biologist's consideration of the Romero-Isart et al. experiment depend to an extent upon the outcomes. Firstly, if it is successful (i.e. coherence is achieved and the organism remains alive after returning to a decoherent state), then an organism will have

328 been temporarily in a state where it has an unmeasurable metabolism: not because a
329 metabolic rate is undetectable, but because any attempt to measure it would automatically
330 bring the organism out of the state. This is in essence a new category of cryptobiosis which to
331 date has been unobserved. Aside from intellectual curiosity, this would be of interest to
332 science and to biologists in particular: because it would extend current understanding of the
333 extreme conditions under which life can persist, and because it would open up a new avenue
334 for exploration in the field of quantum biology.

335
336 Secondly, it is not abundantly clear whether the organism could be considered to have
337 demonstrated only partial Compartmentalization, in the sense meant by a biologist, whilst in
338 the coherent state. This would be an interesting avenue for further research, as it would bring
339 into question the validity of characteristics often associated with living things, particularly the
340 assumption that a cellular structure represents a fundamental requirement (Table 1). Whilst it
341 is already accepted by many that we do not have a satisfactory set of characteristics that
342 define an animate organism (Koshland, 2002), such a finding would further shape the debate.

343
344 More generally, if it is shown that living organisms can survive being in a coherent state, then
345 we must accept that life does not necessarily require living things to be decoherent – which is
346 in itself a fundamental consideration for biologists, even if it may seem trivial to a physicist.
347 The idea that living things could occupy coherent states would be new to biology, and would
348 perhaps even eventually extend the scope of what is considered possible biologically. By way
349 of just one example that highlights the implications, the field of astrobiology is in part the
350 search for extra-terrestrial life (Morrison, 2001), and a key challenge in that search lies in
351 knowing what exactly to look for (McKay, 2004). Whilst many argue that terrestrial life offers a
352 good template for life elsewhere in the universe (Lineweaver & Chopra, 2011), it is readily
353 accepted by others that living systems might exhibit entirely different biochemistry to life on
354 earth (McKay, 2011). Given that the definition of life guides the search for it in exotic places,
355 the results of experiments such as the one suggested by Romero-Isart et al. (2010) could
356 influence the exploration for life elsewhere in the solar system.

357
358 Finally, and perhaps most intriguing of all, would be if it proved impossible for an organism to
359 resume metabolic activity after being in a coherent state, i.e. if the act of becoming coherent
360 in the proposed experiment always killed it. There is no reason why this should be so from a
361 physical perspective, as far as we know. But it would seem that the two statements:

- 362 (1) every object or system in the universe, in principle, can be described by a
363 quantum wave function that is coherent or decoherent to some degree; and,
364 (2) every living organism that is placed into a coherent state dies,
365 are incompatible. Statement (1) relates to a mainstream interpretation of quantum theory,
366 statement (2) is a potential outcome of the Romero-Isart et al. experiment. If (2) is shown to
367 be true, that would not suggest that quantum theory is misguided – rather, that the current

physical understanding of the universe does not adequately capture animation as a characteristic. That is to say, if it proved to be the case, then it would provide some evidence that living systems have properties that do not fit within our current physical understanding of the universe.

Acknowledgements

We acknowledge and thank Leron Borsten and Raimundo Real for in-depth discussions on this topic, and their insights into some of the ideas contained within this manuscript. Jared Cole, Bill Langford and two anonymous reviewers also provided useful comments that improved the manuscript, including suggesting the phrase “Schrödinger’s microbe’. J.W.B. acknowledges the support of the Grand Challenges in Ecosystems and the Environment initiative at Imperial College London. A.G. was supported by funding from the Australian Research Council Centre of Excellence for Environmental Decisions.

References

- Arndt, M., Nairz, O., Vos-Andreae, J., Keller, C., van der Zouw, G. and Zeilinger, A. (1999) Wave-particle duality of C₆₀ molecules. *Nature*, 401: 680-682.
- Arndt, M., Aspelmeyer, M., Bernstein, H.J., Bertlmann, R., Brukner, C., et al. (2005) Quantum Physics from A to Z. arXiv:quant-ph/0505187.
- Ball, P. (2011) Physics of life: the dawn of quantum biology. *Nature*, 474:272-274.
- Becker, U. (2011) Molecular physics: Matter-wave interference made clear. *Nature*, 474:586-587.
- Benner, S.A. (2010) Defining Life. *Astrobiology*, 10(10): 1021-1030.
- Bennett, C.H. and Shor, P.W. (1998) Quantum Information Theory. *IEEE Transactions*, 44(6): 2724-2742.
- Bordonaro, M. and Ogryzko, V. (2013) Quantum biology at the cellular level – elements of the research programme. *BioSystems*, 112(1):11-30.
- Bull, J.W. (2015) Quantum conservation biology, a new ecological tool. *Conservation Letters*, DOI: 10.1111/conl.12195.
- Clegg, J.S. (2001) Cryptobiosis - a peculiar state of biological organization. *Comparative Biochemistry and Physiology Part B*, 128: 613-624.
- Cleland, C.E. and Chyba, C.F. (2002) Defining 'life'. *Origins of Life and the Evolution of the Biosphere*, 32: 387-393.
- Crowe, J.H. (1975) The physiology of cryptobiosis in tardigrades. *Mem Its Ital Idrobiol*, 32:37-59.
- Davies, P.C.W. (2004) Does quantum mechanics play a non-trivial role in life? *BioSystems*, 78:69-79.
- Davies, P.C.W. and Betts, D.S. (2002) Quantum Mechanics: second edition. Nelson Thornes; Cheltenham, UK.

421 Gauger, E.M., Rieper, E., Morton, J.J.L., Benjamin, S.C. and Vedral, V. (2011) Sustained
 422 Quantum Coherence and Entanglement in the Avian Compass. *Physical Review*
 423 *Letters*, 106, 040503.

424

425 Gerlich, G., Eibenberger, S., Tomandl, M., Nimmrichter, S., Hornberger, K., et al. (2011)
 426 Quantum interference of large organic molecules. *Nature Communications*, DOI:
 427 10.1038/ncomms1263.

428

429 Hameroff, S.R. (1994) Quantum coherence in microtubules: a neural basis for emergent
 430 consciousness? *Journal of Consciousness Studies*, 1:98–118.

431

432 Igamberdiev, A.U. (2004) Quantum computation, non-demolition measurements, and
 433 reflective control in living systems. *BioSystems*, 77(1-3):47-56.

434

435 Keilin, D. (1959) The problem of anabiosis or latent life: history and current concept.
 436 *Proceedings of the Royal Society of London B*, 150:149-191.

437

438 Kiesel, N., Blaser, F., Delic, U., Grass, D., Kaltenbaek, R., and Aspelmeyer, M. (2013) Cavity
 439 cooling of an optically levitated submicron particle. *PNAS*, 110(35): 14180-14185.

440

441 Koshland, D.E. (2002) The seven pillars of life. *Science*, 295: 2215-2216.

442

443 Ladd, T.D., Jelezko, F., Laflamme, R., Nakamura, Y., Monroe, C. and O'Brien, J.L. (2010)
 444 Quantum computers. *Nature*, 464: 45-53.

445

446 Leitner, J.J. and Firneis, M.G. (2011) Defining Life in a Non-Geocentric Way. *EPSC Abstracts*,
 447 *EPSC-DPS Joint Meeting 2011*: Vol. 6, EPSC-DPS2011-1114.

448

449 Lineweaver, C.H. and Chopra, A. (2011) What can life on earth tell us about life in the
 450 universe? pp. 799–815 in Seckbach J (ed.), *Genesis - In The Beginning: Precursors of*
 451 *Life, Chemical Models and Early Biological Evolution, Cellular Origin, Life in Extreme*
 452 *Habitats and Astrobiology*. Springer.

453

454 Morrison, D. (2001) The NASA Astrobiology Program. *Astrobiology*. 1(1): 3-13.

455

456 McKay, C.P. (2004) What is life—and how do we search for it in other worlds? *PLoS Biology*,
 457 2(9): 1260-1263.

458

459 McKay, C.P. (2011) The search for life in our Solar System and the implications for science
 460 and society. *Philosophical Transactions of the Royal Society A*, 369: 594-606.

461

462 Nasir, A., Kim, K.M. and Caetano-Anolles, G. (2012) Giant viruses coexisted with the cellular
463 ancestors and represent a distinct supergroup along with superkingdoms Archaea,
464 Bacteria and Eukarya. *BMC Evolutionary Biology*, 12:156.

465

466 O'Connell, A.D., Hofheinz, M., Ansmann, M., Bialczak, R.C., Lenander, M., Lucero, E.,
467 Neeley, M., Sank, D., Wang, H., Weides, M., Wenner, J., Martinis, J.M. and Cleland,
468 A.N. (2010) Quantum ground state and single-phonon control of a mechanical
469 resonator. *Nature*, 464: 697-703.

470

471 Pati, A.K. (2001) Replication and evolution of quantum species. *Fluctuation & Noise Letters*,
472 4(3): R27-R38.

473

474 Penrose, R. (1989) *The Emperor's New Mind*. Oxford University Press; Oxford, UK.

475

476 Pikuta, E.V., Marsic, D., Bej, A., Tang, J., Krader, P. and Hoover, R.B. (2005) *Carnobacterium*
477 *pleistocenium* sp. nov., a novel psychrotolerant, facultative anaerobe isolated from
478 permafrost of the Fox Tunnel in Alaska. *International Journal of Systematic and*
479 *Evolutionary Microbiology*, 55(1): 473-478.

480

481 Rodríguez, R.A., Herrera, A.M., Riera, R., Escudero, C.G., and Delgado, J.D. (2015)
482 Empirical clues about the fulfillment of quantum principles in ecology: Potential
483 meaning and theoretical challenges. *Ecological Modelling*, 301: 90-97.

484

485 Rohde, R.A. and Price, P.B. (2007) Diffusion-controlled metabolism for long-term survival of
486 single isolated microorganisms trapped within ice crystals. *Proceedings of the Natural*
487 *Academy of Sciences of the USA*, 104(42): 16592-16597.

488

489 Romero-Isart, O., Juan, M.L., Quidant, R. and Cirac, J.I. (2010) Toward quantum
490 superposition of living organisms. *New Journal of Physics*, 12(3).

491

492 Ruiz-Mirazo, K., Peretó, J. and Moreno, A. (2004) A universal definition of life: Autonomy and
493 open-ended evolution. *Origins of Life and Evolution of Biospheres*, 34(3): 323-346.

494

495 Schrödinger, E. (1944) *What is life? The physical aspect of the living cell*. Cambridge
496 University Press; Cambridge, UK.

497

498 US National Research Council (1999). *Size limits of very small microorganisms: proceedings*
499 *of a workshop*. National Academies Press; Washington DC, USA.

500

501 Zurek, W.H. (1991) Decoherence and the transition from quantum to classical. *Physics Today*,
502 44(10), 36.

503

504 Zurek, W.H. (2003) Decoherence and the transition from quantum to classical - revisited.
505 *arXiv preprint quant-ph/0306072*.

506

507

Table 1: Characteristics of living systems, based upon Koshland's PICERAS model of the "pillars of life" (Koshland, 2002)

Characteristic	Physical Interpretation	Biological interpretation
Program	<i>Set of instructions determining behaviour</i>	<i>Contained in RNA/DNA</i>
Improvisation	<i>Ability to modify program in response to environment</i>	<i>Evolution</i>
Compartmentalization	<i>Defined boundary, and isolation of subspaces within the main system, to separate processes</i>	<i>Cells as the fundamental unit of known life</i>
Energy	<i>Required for processes and to maintain low entropy</i>	<i>Living systems consume energy in low entropy forms</i>
Regeneration	<i>Compensate for thermodynamic losses, replace missing system components</i>	<i>Metabolism, replace damaged biological components</i>
Adaptability	<i>Ability to respond to environment without changing program</i>	<i>Behavioral change in response to external stimuli</i>
Seclusion	<i>Separation of chemical pathways</i>	<i>Biological molecules (e.g. enzymes) are disparately structured so that they provide specific functions only</i>

Figure 1: A schematic illustration of the act of someone observing (A1-3) a normally occurring, decoherent tardigrade, as compared to (B1-3) a tardigrade that is in a coherent superposition of location states. Solid black lines represent the tardigrades wave function. A1: decoherent tardigrade in a specific location. A2: tardigrade is observed (measured). A3: tardigrade is now known to be in that location, but undergoes no physical change. B1: coherent tardigrade is in more than one location simultaneously, with a probability of being observed at each. B2: tardigrade is observed (measured). B3: act of observation causes the wave function to collapse, so that the tardigrade is now decoherent and known to be in one specific location. Tardigrade image modified from Eye of Science/Science Source Images.

Figure 2: Schematic illustrating how quantum phenomena might be exhibited if displayed by a virus (grey rectangular shape) in an experiment such as that described by Romero-Isart et al. (2010). (A) decoherent virus in a potential trap, with defined position and known movement along the axis of motion; (B) partially coherent virus in the same trap, movement along this axis is less certain. Possible location is consequently described by a wave function, which is given by the black oscillatory line (the location of the virus staying is the amplitude of the wave function at that point squared); (C) fully coherent virus in the same trap, state of motion along the axis is entirely uncertain until measured. Location is determined proportional to the wave function, which is given by the oscillatory black line. Note that this schematic is conceptually illustrative only i.e. the functional form of the wave function has not been derived.